

1212588

https://www.phoenixcontact.com/us/products/1212588

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Actuation tool, for ST terminal blocks, VDE insulated, with slimmer insulation integrated in the blade, also suitable for use as a bladed screwdriver, size: 0.8 x 4.0 x 100 mm, 2-component grip, with non-slip grip

### Your advantages

- · In addition to standard applications, SF-SL ... screwdrivers are particularly suitable for modular terminal block assembly
- · Because the insulation runs into the shaft, there is no protruding edge
- · VDE-tested, for maximum safety

#### Commercial data

Item number	1212588
Packing unit	10 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3144
GTIN	4046356590235
Weight per piece (including packing)	58.7 g
Weight per piece (excluding packing)	55.75 g
Customs tariff number	82054000
Country of origin	CZ



1212588

https://www.phoenixcontact.com/us/products/1212588

### Technical data

#### Notes

Environmenta	l Product	Compliance

California Proposition 65	Further information on California's prop. 65 is available under
	"Downloads" in the manufacturer's declaration

### Product properties

Product type	Screwdriver tools
Туре	Bladed

#### Connection data

### Dimensions

Dimensional drawing	85 85 80 80 80 80 80 80 80 80 80 80 80 80 80
Width	33 mm
Blade width	4 mm
Blade height	100 mm
Length	198 mm
Wrench size	0 mm
Wrench size for mounting	0 mm
Blade thickness	0.8 mm

### Material specifications

Material	alloyed tool steel
----------	--------------------

### Standards and regulations


Tests	DIN/ISO 2380-1 IEC 60900:2004
-------	-------------------------------



https://www.phoenixcontact.com/us/products/1212588



## Drawings





1212588

https://www.phoenixcontact.com/us/products/1212588

### **Approvals**

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1212588



EAC

Approval ID: RU C-DE.Al30.B.01750



VDE Zeichengenehmigung

Approval ID: 40032921



EAC

Approval ID: 7500525.13.12.00701



1212588

https://www.phoenixcontact.com/us/products/1212588

## Classifications

#### **ECLASS**

	ECLASS-13.0	21040407
	ECLASS-15.0	21040407
Εī	TIM	
	ETIM 9.0	EC000158
1.18	Jenec	
Uľ	NSPSC	
	UNSPSC 21.0	27111700



1212588

https://www.phoenixcontact.com/us/products/1212588

### Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
EU REACH SVHC	
	No substance above 0.1 wt%

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com