

1406392

https://www.phoenixcontact.com/us/products/1406392

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

O-ring, green



Commercial data

Item number	1406392
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	AB27
Product key	ABQZCA
GTIN	4046356764025
Weight per piece (including packing)	0.079 g
Weight per piece (excluding packing)	0.049 g
Customs tariff number	40169300
Country of origin	DE



1406392

https://www.phoenixcontact.com/us/products/1406392

Technical data

Notes

Notes on operation	The electrical and mechanical data specified assume that the connector pair is correctly locked and mounted. If the connector is unlocked and if there is a danger of contamination, the connector must be sealed using a protective cap > IP54. Influences arising from litz wires, cables or PCB assembly must also be taken into consideration.
Product properties	
Product type	Seal
Material specifications	
Seal material	NBR
Environmental and real-life conditions Ambient conditions	
Ambient temperature (operation)	-40 °C 85 °C



1406392

https://www.phoenixcontact.com/us/products/1406392

Classifications

ECLASS

	ECLASS-13.0	27430319		
	ECLASS-15.0	27430319		
ETIM				
	ETIM 9.0	EC001181		
UNSPSC				
	UNSPSC 21.0	39121400		

Nov 10, 2025, 3:29 ☐ AM Page 3 (4)



1406392

https://www.phoenixcontact.com/us/products/1406392

Environmental product compliance

EU RoHS

Loridio		
Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com