

1555726

https://www.phoenixcontact.com/in/products/1555726

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Extender to ensure air clearances and creepage distances, only suitable for use in M23 Hybrid



### Your advantages

- · Reliable transmission of signals, data, and power in a single connector
- 80% faster assembly and 60% less installation space compared to litz wire assemblies
- · Cost reduction due to the elimination of additional PCB connectors
- · Reduction of PCB complexity and EMC risks
- · Elimination of work steps with high error potential

#### Commercial data

Item number	1555726
Packing unit	192 pc
Minimum order quantity	384 pc
Product key	ABRCDX
GTIN	4067923035287
Weight per piece (including packing)	0.914 g
Weight per piece (excluding packing)	0.86 g
Country of origin	DE



1555726

https://www.phoenixcontact.com/in/products/1555726

Ambient temperature (operation)

### Technical data

Notes
-------

Order information:	only to be used with item number 1524754 or 1835953		
Product properties			
Series	SH		
Environmental and real-life conditions			
Ambient conditions			

-40 °C ... 115 °C (see derating curve)



1555726

https://www.phoenixcontact.com/in/products/1555726

### Classifications

ETIM 9.0

#### **ECLASS**

	ECLASS-13.0	27440223
	ECLASS-15.0	27440223
ET	TIM	

EC003557



1555726

https://www.phoenixcontact.com/in/products/1555726

### Environmental product compliance

#### EU RoHS

20 10110		
Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in