

RC-06P1Y8A0000 - Contact insert

1593629

<https://www.phoenixcontact.com/us/products/1593629>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Contact insert, M23, number of positions: 6, contact connection type: Pin, Crimp connection, series: NC, RC, RM, TU, UC

Commercial data

| | |
|--------------------------------------|--------------------------------|
| Item number | 1593629 |
| Packing unit | 10 pc |
| Minimum order quantity | 10 pc |
| Note | Made to order (non-returnable) |
| Product key | ABRAFT |
| GTIN | 4046356197175 |
| Weight per piece (including packing) | 1.72 g |
| Weight per piece (excluding packing) | 1.61 g |
| Country of origin | DE |

RC-06P1Y8A0000 - Contact insert



1593629

<https://www.phoenixcontact.com/us/products/1593629>

Technical data

Notes

| | |
|--------------------|--|
| Order information: | Order crimp contacts Ø 2 mm separately |
|--------------------|--|

Product properties

| | |
|---------------------|----------------|
| Product type | Contact insert |
| Series | NC |
| | RC |
| | RM |
| | TU |
| | UC |
| Application | Signal |
| Number of positions | 6 |
| Connection profile | 6 |
| Coding | Y |
| Thread type | M23 |

Electrical properties

Contact: Contact group 1

| | |
|-----------------------|--|
| Contact diameter | 2 mm |
| Nominal current I_N | 20 A (for max. connection cross section) |
| Nominal voltage U_N | 48 V AC |
| | 74 V DC |
| Overvoltage category | III |
| Degree of pollution | 3 |
| Rated surge voltage | 1.5 kV |

Connection data

| | |
|-------------------|------------------|
| Connection method | Crimp connection |
|-------------------|------------------|

Connector

| | |
|-----------------------|----------|
| Direction of rotation | Standard |
|-----------------------|----------|

RC-06P1Y8A0000 - Contact insert



1593629

<https://www.phoenixcontact.com/us/products/1593629>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-13.0 | 27440223 |
| ECLASS-15.0 | 27440223 |

ETIM

| | |
|----------|----------|
| ETIM 9.0 | EC003557 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

RC-06P1Y8A0000 - Contact insert



1593629

<https://www.phoenixcontact.com/us/products/1593629>

Environmental product compliance

EU RoHS

| | |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

China RoHS

| | |
|--|--|
| Environment friendly use period (EFUP) | EFUP-E |
| | No hazardous substances above the limits |

EU REACH SVHC

| | |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2025 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com