

1615113

https://www.phoenixcontact.com/us/products/1615113

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

M23, Cable connector, series: UC, angled, shielded: yes, Screw locking mechanism, No. of pos. : 17, Direction of rotation: Standard, contact connection type: Socket, Crimp connection, cable diameter range: 13.5 mm ... 14.5 mm, coding: N



Commercial data

Item number	1615113
Packing unit	8 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	ABRAIC
GTIN	4046356409308
Weight per piece (including packing)	177.425 g
Weight per piece (excluding packing)	171.81 g
Country of origin	DE



1615113

https://www.phoenixcontact.com/us/products/1615113

Technical data

Product properties

Product type	Circular connector (cable-side)
• • • • • • • • • • • • • • • • • • • •	,

Connector

Insulating body

Note	Order information: Order crimp contacts Ø 1 mm separately
Coding	N
Material (Insulating body)	PA 6.6
Connection method	Crimp connection
Contact switching type	Socket
Application	Signal
Number of positions	17
Direction of rotation	Standard
Connection profile	17
Number Contact (Contact group 1)	17
Diameter Contact (Contact group 1)	1 mm
Rated current Contact (Contact group 1)	8 A (for max. connection cross section)
Rated voltage Contact (Contact group 1)	48 V AC
	74 V DC
Rated surge voltage	1.5 kV
Overvoltage category	III
Degree of pollution	3

Housing

Order information:	Order contact inserts separately
Туре	Cable connector housing
Thread type	M23
Design	angled
Type of locking	Screw locking mechanism
Pg screw connection	Pg16
Material (Housing)	GD-Zn
Material (Housing surface)	Ni
Material (Rotating parts)	CuZn
Degree of protection (plugged in)	IP67

Seal

External cable diameter	13.5 mm 14.5 mm
Seal material	FPM




https://www.phoenixcontact.com/us/products/1615113



Drawings

Schematic diagram




Connector pin assignment



1615113

https://www.phoenixcontact.com/us/products/1615113





1615113

https://www.phoenixcontact.com/us/products/1615113

Classifications

	ETIM 8.0	EC002635
U١	ISPSC	
	UNSPSC 21.0	39121400



1615113

https://www.phoenixcontact.com/us/products/1615113

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements Exemption	Yes 6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com