RC-17S1N8A80EL - Cable connector



1624877

https://www.phoenixcontact.com/us/products/1624877

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



M23, Cable connector, straight, Screw locking mechanism, No. of pos.: 17, Direction of rotation: Standard, contact connection type: Socket, Crimp connection, cable diameter range: 3 mm ... 10. 5 mm, coding: N

Commercial data

Item number	1624877
Packing unit	20 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	ABRAFA
GTIN	4046356877565
Weight per piece (including packing)	69.86 g
Weight per piece (excluding packing)	69.86 g
Country of origin	DE

RC-17S1N8A80EL - Cable connector



1624877

https://www.phoenixcontact.com/us/products/1624877

Technical data

Notes

	Order information:	Order crimp contacts Ø 1 mm separately		
Pr	Product properties			
	Product type	Circular connector (cable-side)		

Connector

Insulating body

Note	Order information: Order crimp contacts Ø 1 mm separately
Coding	N
Material (Insulating body)	PA 6.6
Connection method	Crimp connection
Contact switching type	Socket
Application	Signal
Number of positions	17
Direction of rotation	Standard
Connection profile	17
Number Contact (Contact group 1)	17
Diameter Contact (Contact group 1)	1 mm
Rated current Contact (Contact group 1)	8 A (for max. connection cross section)
Rated voltage Contact (Contact group 1)	48 V AC
	74 V DC
Rated surge voltage	1.5 kV
Overvoltage category	III
Degree of pollution	3

Housing

Note	Order contact inserts separately
Туре	Cable connector housing
Thread type	M23
Design	straight
Type of locking	Screw locking mechanism
Pg screw connection	none
Material (Housing)	Metal
Degree of protection (plugged in)	IP65
	IP67
	IP68

Seal

Cour		
External cable diameter	3 mm 10.5 mm	
Seal material	NBR	

RC-17S1N8A80EL - Cable connector




https://www.phoenixcontact.com/us/products/1624877



Drawings

Schematic diagram



Connector pin assignment

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com