

UEGH 27,5-SMD - Electronics housing

2757128

<https://www.phoenixcontact.com/us/products/2757128>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Electronic housing, double level, fully equipped with 6 screw connections per side for one printed circuit board, for mounting of SMD components

Commercial data

| | |
|--------------------------------------|--------------------------------|
| Item number | 2757128 |
| Packing unit | 10 pc |
| Minimum order quantity | 1 pc |
| Note | Made to order (non-returnable) |
| Sales key | AC11 |
| Product key | ACHCCD |
| GTIN | 4017918139520 |
| Weight per piece (including packing) | 79.88 g |
| Weight per piece (excluding packing) | 66.608 g |
| Customs tariff number | 85369010 |
| Country of origin | DE |

UEGH 27,5-SMD - Electronics housing

2757128

<https://www.phoenixcontact.com/us/products/2757128>



Technical data

Product properties

| | |
|------------------------------|--|
| Product type | Complete housing |
| Housing type | Complete housing |
| Housing series | UEG |
| Product family | UEGH |
| Type | Connection system integrated, housing closed |
| Number of positions | 12 |
| Pitch | 5 mm |
| Number of rows | 2 |
| Ventilation openings present | no |
| Pin layout | Linear pinning |

Electrical properties

| | |
|-----------------------|-------|
| Nominal voltage U_N | 500 V |
| Nominal current I_N | 10 A |

Connection data

| | |
|-------------------|------------------|
| Connection method | Screw connection |
|-------------------|------------------|

Dimensions

| Dimensional drawing | |
|---------------------|----------|
| Width | 27.5 mm |
| Installed height | 106.7 mm |
| Height NS 35/7,5 | 106.7 mm |
| Depth | 79 mm |
| Length | 79 mm |
| Pitch | 5 mm |

Material specifications

| | |
|--|------------------|
| Color (Housing) | green (RAL 6021) |
| Material Housing | PA |
| Flammability rating according to UL 94 | V2 |

Environmental and real-life conditions

| Ambient conditions | |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 105 °C |

UEGH 27,5-SMD - Electronics housing

2757128

<https://www.phoenixcontact.com/us/products/2757128>



Mounting

| | |
|---------------|-------------------|
| Mounting type | DIN rail mounting |
| Pin layout | Linear pinning |

UEGH 27,5-SMD - Electronics housing


2757128

<https://www.phoenixcontact.com/us/products/2757128>



Drawings

Dimensional drawing



For 1 PCB, for SMD assembly of reverse side of PCB, 12 pos.


UEGH 27,5-SMD - Electronics housing

2757128

<https://www.phoenixcontact.com/us/products/2757128>



Dimensional drawing




UEGH 27,5-SMD - Electronics housing

2757128

<https://www.phoenixcontact.com/us/products/2757128>

PHÖNIX CONTACT

Dimensional drawing




UEGH 27,5-SMD - Electronics housing

2757128

<https://www.phoenixcontact.com/us/products/2757128>



Schematic diagram



UEGH 27,5-SMD - Electronics housing

2757128

<https://www.phoenixcontact.com/us/products/2757128>



Approvals

ⓘ To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/2757128>

| cULus Recognized | | | | |
|------------------------------|-----------------------|-----------------------|-------------------|----------------------|
| Approval ID: E60425-19770427 | | | | |
| | Nominal voltage U_N | Nominal current I_N | Cross section AWG | Cross section mm^2 |
| B | 300 V | 10 A | 30 - 12 | - |
| D | 300 V | 10 A | 30 - 12 | - |

UEGH 27,5-SMD - Electronics housing

2757128

<https://www.phoenixcontact.com/us/products/2757128>



Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-13.0 | 27190101 |
| ECLASS-15.0 | 27190101 |

ETIM

| | |
|----------|----------|
| ETIM 9.0 | EC001031 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 31261500 |
|-------------|----------|

UEGH 27,5-SMD - Electronics housing

2757128

<https://www.phoenixcontact.com/us/products/2757128>



Environmental product compliance

EU RoHS

| | |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

China RoHS

| | |
|--|--|
| Environment friendly use period (EFUP) | EFUP-E |
| | No hazardous substances above the limits |

EU REACH SVHC

| | |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com