

2901560

https://www.phoenixcontact.com/us/products/2901560

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Powermeter supplementary set for devices with SC-RJ interface, consisting of one-meter polymer reference fiber (SC Simplex connector to F-SMA connector), one-meter of PCF-GI reference fiber (SC Simplex connector to B-FOC (ST®) connector) and SC-RJ coupling

Your advantages

• Preassembled reference fiber for the precise measurement of optical power

Commercial data

Item number	2901560
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AB16
Product key	ABNIEZ
GTIN	4046356619165
Weight per piece (including packing)	61.5 g
Weight per piece (excluding packing)	66.789 g
Customs tariff number	85447000
Country of origin	DE



2901560

https://www.phoenixcontact.com/us/products/2901560

Technical data

Product properties

Transmission medium

	Product type	Data cable preassembled		
Material specifications				
	Color	black		
	Housing material	Plastic		
Cable/line				
F	FO cable			

FO



2901560

https://www.phoenixcontact.com/us/products/2901560

Classifications

ECLASS

	ECLASS-13.0	19170192
	ECLASS-15.0	19170192
ETIM		
	ETIM 9.0	EC003626
UNSPSC		
	UNSPSC 21.0	39121000



2901560

https://www.phoenixcontact.com/us/products/2901560

Environmental product compliance

Fulfills EU RoHS substance requirements	Yes, No exemptions		
China RoHS			
Environment friendly use period (EFUP)	EFUP-E		
	No hazardous substances above the limits		
EU REACH SVHC			
REACH candidate substance (CAS No.)	No substance above 0.1 wt%		

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com