

2905277

https://www.phoenixcontact.com/us/products/2905277

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in fuse (TE5®); nominal current: 1 A; tripping behavior: fast-blow (F)

#### Commercial data

Item number	2905277
Packing unit	1 pc
Minimum order quantity	10 pc
Sales key	C421
Product key	DK2B8Z
GTIN	4046356947121
Weight per piece (including packing)	4.5 g
Weight per piece (excluding packing)	4.5 g
Customs tariff number	85361010
Country of origin	PH



https://www.phoenixcontact.com/us/products/2905277



## Technical data

#### Notes

Notes on operation	For proper use, the specifications of the installation directive (see Downloads) must be observed. For applications or use with third-party products, the specifications, and the safety and warning instructions of the respective third-party manufacturer must also
	be met.

### Product properties

Product type	Fuse
Number of fuses in the set	10

### Electrical properties

Tripping characteristic	fast-blow (F)
Rated voltage	125 V
Nominal current I <sub>N</sub>	1 A
Fuse	TE5



2905277

https://www.phoenixcontact.com/us/products/2905277

### **Approvals**

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/2905277



EAC

Approval ID: RU C-DE.BL08.B.00724



2905277

https://www.phoenixcontact.com/us/products/2905277

## Classifications

UNSPSC 21.0

#### **ECLASS**

	ECLASS-13.0	27142008
		27 142000
	ECLASS-15.0	27142008
ET	TIM	
	ETIM 9.0	EC002298
UN	ISPSC	

39121600



2905277

https://www.phoenixcontact.com/us/products/2905277

## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
EU REACH SVHC	

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com