

https://www.phoenixcontact.com/us/products/3000742



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable housing, pitch: 6.2 mm, width: 55.8 mm, height: 52.3 mm, number of positions: 9, color: gray

Your advantages

- · Can be aligned without any loss of pitch
- · Robust cable housing for strain relief on connecting cables
- · Additional scope for marking plugs

Commercial data

Item number	3000742
Packing unit	25 pc
Minimum order quantity	1 pc
Product key	BE224Z
GTIN	4046356688789
Weight per piece (including packing)	24.336 g
Weight per piece (excluding packing)	24.336 g
Country of origin	PL



https://www.phoenixcontact.com/us/products/3000742



Technical data

Product properties

Product type	Cable housing
Number of positions	9
Pitch	6.2 mm

Material specifications

Color	gray (RAL 7042)
Material	PA
Flammability rating according to UL 94	V0
Static insulating material application in cold	-60 °C
Temperature index of insulation material (DIN EN 60216-1 (VDE 0304-21))	130 °C
Relative insulation material temperature index (Elec., UL 746 B)	130 °C
Fire protection for rail vehicles (DIN EN 45545-2) R22	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R26	HL 1 - HL 3
Calorimetric heat release NFPA 130 (ASTM E 1354)	28 MJ/kg
Surface flammability NFPA 130 (ASTM E 162)	passed
Specific optical density of smoke NFPA 130 (ASTM E 662)	passed
Smoke gas toxicity NFPA 130 (SMP 800C)	passed

Dimensions

Width	55.8 mm
Height	52.3 mm
Pitch	6.2 mm



https://www.phoenixcontact.com/us/products/3000742



Classifications

ETIM 8.0	EC000437	
UNSPSC		
UNSPSC 21.0	31261500	



https://www.phoenixcontact.com/us/products/3000742



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com