

https://www.phoenixcontact.com/us/products/3038613



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Marker carriers, snaps into ST 1,5... spring-cage terminal blocks, can be marked with UC-TM 4, UC-TMF 4, UCT-TM 4, UCT-TMF 4, ZB 4, or ZBF 4, gray, unmarked, mounting type: latching, text field height: 10.5 mm, text field width: 4 mm

Your advantages

• The marker carriers can, for example, be snapped into the center marking groove of ST spring-cage terminal blocks and double the labeling area

Commercial data

Item number	3038613
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	BG12
Product key	BG211A
GTIN	4017918891275
Weight per piece (including packing)	0.49 g
Weight per piece (excluding packing)	0.49 g
Customs tariff number	39269097
Country of origin	PL



https://www.phoenixcontact.com/us/products/3038613



Technical data

Product properties

	Product type	Marker carriers
Di	Dimensions	
	Width	4.00 mm
	Height	24.90 mm
	Depth	24.80 mm

Material specifications

Color	gray (RAL 7042)
Flammability rating according to UL 94	V2
Base element material	PA
Components	free from silicone and halogen

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C 100 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

Mounting

·	
Mounting type	latching



https://www.phoenixcontact.com/us/products/3038613



Classifications

UNSPSC 21.0

ECLASS

	ECLASS-13.0	27281105
	ECLASS-15.0	27281105
ETIM		
	ETIM 9.0	EC002248
UN	ISPSC	

39121400



https://www.phoenixcontact.com/us/products/3038613



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%
EF3.0 Climate Change	
CO2e kg	0.011 kg CO2e

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com