

https://www.phoenixcontact.com/us/products/3241109



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Spiral hose, for easy bundling and guiding of cables and conductors, offers protection against slight mechanical strain

Commercial data

Item number	3241109
Packing unit	50 m
Minimum order quantity	50 m
Sales key	BE74
Product key	BE7451
GTIN	4046356734394
Weight per piece (including packing)	4.6 g
Weight per piece (excluding packing)	4.6 g
Customs tariff number	39269097
Country of origin	PL



https://www.phoenixcontact.com/us/products/3241109



Technical data

Mounting

Mounting type

Product properties

Froduct properties				
	Product type	Cable bundle hose (electric)		
Dimensions				
	Width	15 mm		
	Length	50 m		
Ir	nternal dimensions			
	Internal diameter	2.3 mm		
Material specifications				
	Color	transparent		
	Material	PE		
	Flammability rating according to UL 94	НВ		
	Components	free from silicone and halogen		
Cable/line				
	External cable diameter	3 mm 15 mm		
Environmental and real-life conditions				
Δ	mbient conditions			
	Ambient temperature (operation)	-50 °C 85 °C		
	Ambient temperature (assembly)	-20 °C 60 °C		

Twist



https://www.phoenixcontact.com/us/products/3241109



Classifications

UNSPSC 21.0

ECLASS

	ECLASS-13.0	27430302		
	ECLASS-15.0	27430302		
ETIM				
	ETIM 9.0	EC002604		
UN	ISPSC			

39131700

3241109

https://www.phoenixcontact.com/us/products/3241109



Environmental product compliance

EU RoHS

20 1.01.0			
Fulfills EU RoHS substance requirements	Yes, No exemptions		
China RoHS			
Environment friendly use period (EFUP)	EFUP-E		
	No hazardous substances above the limits		
EU REACH SVHC			
REACH candidate substance (CAS No.)	No substance above 0.1 wt%		

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com