Amphenol

Datasheet

NFC Reader

FPC / Internal Antenna



55 x 17 x 0.45 mm

NFC Antenna

Features:

- Thin, semi-flexible structure
- Easily assembles to device covers or mechanics
- Well-known antenna concept, reliable technology

Applications:

- Mobile devices
- Home automation devices
- Sharing / pairing



Electrical Specifications				
Antenna Characteristics (Contains Ferrite)				
Frequency (MHz)*	13.56			
Inductance (µH)**	2.27			
Resistance (Ω)**	2.05			
Self Resonance Frequency (MHz)**	30.37			
Q-Factor**	40.4			
Ferrite Permeability (µ')	150			

^{*} With matching network.

^{**} Bare coil without any matching network.




Amphenol

Mechanical S	pecifications
--------------	---------------

Mechanical Mechanical				
Dimension (mm)	55.0 × 17.0 × 0.45			
Connector Type	SWB , 1224H-02-LP			
Cable Type	UL3302 #28 AWG, ø0.6			
Cable length (mm)	146			
Weight (g)	1.6			

Environmental				
Temperature Range (°C)	-40 to 85			
Humidity	Non-condensing 65°C 95% RH			
RoHS Compliant				

Mechanical Drawing



ST0824-20-401-A

STRUCTURE

CABLE, Ø0.6mm

ADHESIVE, T=0.05mm





Revisions					
Rev.	Description	Date	ECN	Approval	
Α	Initial Release	2023-01-16	ST0824-20-401-U-RA00	ATC	

NOTICE - These drawings, specifications, or other data (I) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.