



Representative Image

Catalog No. RMM3BH12R

Description: RELIAMOD 3PH 1200A 100K RELT MAIN BRKR

UPC No 783164681826

Home > Modular Metering > ReliaMod&Trade; > ReliaMod Main Breaker Modules

Descriptors

Category	ReliaMod Main Breaker Modules
----------	-------------------------------

Specifications

Additional Notes	An alternate XT7 frame lug kit is available as needed, catalog # RXT7LUGKIT750, which can accommodate up to (3) 500-750kcmil cables per phase & neutral.
Amperage	1200
Arc Reduction	Includes Arc Reduction (RELT) to meet NEC 240.87
Depth (Inches)	11.2
Enclosure	N3R Outdoor
Estimated Weight (lbs)	180
Feed Location	Bottom/Top
Height (Inches)	47.9
IC Rating	100
Lugs Per Phase & Neutral (AWG/kcmil Al/Cu)	(4) 2/0 - 500
Main Circuit Breaker Frame	XT7H
Main Circuit Breaker Trip Unit	Ekip Touch LSI
Main Ground Lugs (AWG/kcmil Al/Cu)	(2) #6-350
Meter Mod III to ReliaMod Horizontal Bus Connections	ABB ReliaMod horizontal bus does not match up to GE Meter Mod III horizontal bus, so any ReliaMod section cannot be connected to any GE Meter Mod III section and vice versa without a bus transition adapter section. Please refer to the ReliaMod bus transition adapters in the Buylog for more information.
Phase	Three-Phase, Four-Wire
Voltage	208Y/120V
Width (Inches)	20.3

by ABB