



# MA40S4R



## Appearance & Shape



## Packaging Information

| Packaging | Specifications | Standard Packing Quantity |
|-----------|----------------|---------------------------|
| -         | Box            | 540                       |

## Features

1. Compact and light weight.
2. High sensitivity and sound pressure.

**Attention**

- 1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2.This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

# MA40S4R



## Specifications


|                             |                         |
|-----------------------------|-------------------------|
| Operating Temperature Range | -40°C to 85°C           |
| Construction                | Open type               |
| Center Frequency            | 40kHz                   |
| Sensitivity                 | -63dB typ. (0dB=10V/Pa) |
| Directivity                 | 80deg. (typ.)           |
| Capacitance                 | 2550pF                  |
| Capacitance Tolerance       | ±20%                    |

### Attention


- 1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2.This datasheet has only typical specifications because there is no space for detailed specifications.  
Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

# MA40S4R

## Product Data



Freq. Characteristics



Directivity in Sensitivity

### Attention

- 1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2.This datasheet has only typical specifications because there is no space for detailed specifications.  
Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.