

RAYCHEM

TE Internal #: 806697-000


Straight Heat Shrink Boot, 202 Shape Code, 25 Material Code, 25 Material Systems Code, Adhesive Purchased Separately, -75 – 150 °

C [-103 – 302 °F]

View on TE.com >



Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Boots > Heat Shrink Boots: Non Lipped, Straight



Body Orientation: **Straight**Molded Part Shape Code: **202**

Lipped: No

Material Code: 25

Material Systems Code: **25**

All Heat Shrink Boots: Non Lipped, Straight (133)

Features

Configuration Features	
Lipped	No
Adhesive Requirement	Adhesive Purchased Separately
Body Features	
Primary Product Material	Fluid Resistant Modified Elastomer
Material Code	25
Material Systems Code	25
Housing Features	
Body Orientation	Straight
Dimensions	
Compatible Cable Diameter (Max)	8 mm, 9 mm, 10 mm, 11 mm, 12 mm[.314 in] [.35 in][.39 in][.43 in][.47 in]
Compatible Cable Diameter Range	6.6 – 20.3 mm[.26 – .8 in]
Usage Conditions	
Operating Temperature Range	-75 – 150 °C[-103 – 302 °F]

Resistance Protection

Long-Term Fluid Exposure at High

Temperatures



Compatible With Approved Standards Products	BS-G-198-5-DE, DEF Std 59-97 Issue 3 Type DE, IEC 62329-3-102, MIS-34867
Other	
Molded Part Shape Code	202

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Out of Scope - excluded from Halogen requirements
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought






TE Part #CAT-R21-7310654

Heat Shrink Boots: Non Lipped, Right

Angle



TE Part #D33050-000 203W301-25-0



TE Part #K1148183
Battery Disconnector 35-525-160-R











Documents

Datasheets & Catalog Pages

1654025_Sec4_-25

English

Raychem Molded Parts Visual Guide

English

Product Specifications

Product Specification

English