HM-445102-5-8A ACTIVE

TE Internal #: C78143-000

Metalized Silver, Industrial Label, Die-Cut, High Tack Acrylic

Adhesive, 44.5 mm [1.75 in] Width, 10.2 mm [.4 in] Height,

Polyester, Standard Labels

View on TE.com >



Identification & Labeling > Labels > Standard Labels > HM High Tack Metalized Polyester Labels



Label Type: Industrial Label

Label Style: Die-Cut

Label Adhesive Type: **High Tack Acrylic Adhesive**Compatible With Agency/Standards Products: **UL**

Product Width: 44.5 mm [1.75 in]

All HM High Tack Metalized Polyester Labels (35)

Features

Product Type Features

Length of Label Roll

Label Thickness

Industry Standards

Compatible With Agency/Standards Products

| Product Type Features | |
|-----------------------------|----------------------------|
| Label Type | Industrial Label |
| Body Features | |
| Primary Product Color | Metalized Silver |
| Primary Product Material | Polyester |
| Dimensions | |
| Product Width | 44.5 mm[1.75 in] |
| Product Height | 10.2 mm[.4 in] |
| Usage Conditions | |
| Operating Temperature Range | -40 - 150 °C[-40 - 302 °F] |
| Printer/Label Features | |
| Number of Labels Across | 1 |
| Label Style | Die-Cut |

63.5 m[208.33 ft]

97 Micron

UL



Packaging Features

| Packaging Method | Roll |
|---------------------|----------------------------|
| Packaging Quantity | 5000 |
| Other | |
| Label Adhesive Type | High Tack Acrylic Adhesive |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts












Customers Also Bought

















TE Part #DRC26-40SD PLG, 40P, BLK, D

Documents

Product Drawings HM-445102-5-8A

English

Datasheets & Catalog Pages

HM High Tack Metalized Polyester labels

English

IDENTIFICATION SELECTION GUIDE

English

Metalized Silver, Industrial Label, Die-Cut, High Tack Acrylic Adhesive, 44.5 mm [1.75 in] Width, 10.2 mm [.4 in] Height, Polyester, Standard Labels



Product Specifications

IDENTIFCATION PRINTER PRODUCT RIBBON MATRIX

English