

S-KIT SPE CONECTORS EN/DE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com



SPElink®

OMNIMATE Signal and OMNIMATE Power are PCB terminal blocks, plug-in connector and panel feedthrough terminal blocks for industrial applications with a focus on signal processing and power electronics.

Power for high currents up to 232 A and voltages up to 1000 V (IEC) or 230 A at 600 V (UL). The components are optimised for application-oriented design, efficient production and reliable application.

OMNIMATE Data are RJ45 and USB circuit board sockets for safe data transmission in the Industrial Ethernet environment.

RJ45 components from Weidmüller ensure reliable transmission with high data rates up to 1 Gbit/s. With different variants for THT, THR or SMT solder processes, the female sockets are suitable for all common techniques of PCB assembly. The different design types of the RJ45 circuit board sockets allow adaptation to the individual enclosure design.

General ordering data

Version	Sample kit
Order No.	<u>2816640000</u>
Туре	S-KIT SPE CONECTORS EN/DE
GTIN (EAN)	4064675312840
Qty.	1 pc(s).



S-KIT SPE CONECTORS EN/DE

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	47.52 g			
Classifications				
ETIM 6.0	EC002637	ETIM 7.0	EC002637	
ETIM 8.0	EC002637	ETIM 9.0	EC002637	
ETIM 10.0	EC002637	ECLASS 9.0	27-44-04-02	
ECLASS 9.1	27-44-04-02	ECLASS 10.0	27-44-04-02	
ECLASS 11.0	27-46-02-01	ECLASS 12.0	27-46-02-01	
ECLASS 13.0	27-46-02-01	ECLASS 14.0	27-46-02-01	
ECLASS 15.0	27-46-02-01			

Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

Downloads

Catalogues	Calogues in PDF-format