

## **DDR5 SO-DIMM Connectors**

# HIGH SPEED HIGH DENSITY SO-DIMM SOCKETS

DDR5 SO-DIMM connectors deliver high-speed and bandwidth. Being half the size of regular DIMMs, they lower power consumption and promote better thermal management. 262 positions SO-DIMM connector are available in various height options.

- High density design of 0.50mm pitch saves board space
- High speed DDR5 digital validation
- Will provide different key positions that aid alignment
- SMT mechanical hold-downs
- Right angle orientation and vertical orientation for different customer preferences



#### **FEATURES**

- 4.00mm, 8.00mm, 5.20mm, 9.20mm height will offerings
- High density design of 0.50mm pitch
- LCP, Halogen-free, resin housing material
- Different key positions
- SMT mechanical hold-downs

#### **BENEFITS**

- Accommodates different customer applications
- Saves board space
- · Allows more transition channel for signal
- Withstands high temperature IR flow
- Helps to align connector and prevent mismating
- Ensures co-planarity adjustment during mounting

### **TECHNICAL INFORMATION**

#### **MATERIAL**

LCP

#### **ELECTRICAL PERFORMANCE**

Data Rate (Mb/s): 3200/6400

#### **MECHANICAL PERFORMANCE**

• Current Per Contact: 0.75A max.

Voltage Rating: 1.1V max.

#### **ENVIRONMENTAL**

• RoHS compliant

■ Halogen-Free

#### **SPECIFICATIONS**

Product Specification: GS-12-1667

#### **PACKAGING**

■ Tape & Reel

#### **TARGET MARKETS/APPLICATIONS**



Servers Workstations



Desktop PCs Notebook PCs



Routers Switches Base Stations



**Embedded Systems** 

## **PART NUMBERS**

Description	Pitch (mm)	Height (mm)	Orientation	Part Numbers
DDR5 SO-DIMM Right Angle	0.5	4	Standard	10162416*
DDR5 SO-DIMM Right Angle	0.5	4	Reverse	10157422*
DDR5 SO-DIMM Right Angle	0.5	8	Standard	10157591*
DDR5 SO-DIMM Right Angle	0.5	8	Reverse	10162981*

<sup>\*</sup>Denotes base part number. Please contact Amphenol ICC for complete part numbers.