



12500 TI Boulevard, MS 8640, Dallas, Texas 75243

PCN# 20141007001
Die Conversion for Select AUP LL Devices in DBV, DCK and DRL Package
Final Change Notification / Sample Request

Date: 10/9/2014
To: MOUSER PCN

Dear Customer:

This is an announcement of a change to a device that is currently offered by Texas Instruments. The details of this change are on the following pages.

We request you acknowledge receipt of this notification within **30** days of the date of this notice. Lack of acknowledgement of this notice within 30 days constitutes acceptance of the change. If you require samples or additional data to support your evaluation, please request within 30 days.

The changes discussed within this PCN will not take effect any earlier than **90** days from the date of this notification, unless customer agreement has been reached on an earlier implementation of the change. This notification period is per TI's standard process.

This notice does not change the end-of-life status of any product. Should product affected be on a previously issued product withdrawal/discontinuance notice, this notification does not extend the life of that product or change the life time buy offering/discontinuance plan.

For questions regarding this notice, contact your local Field Sales Representative or the PCN Manager (PCN_ww_admin_team@list.ti.com).

Sincerely,

PCN Team
SC Business Services
Phone: +1(214) 480-6037
Fax: +1(214) 480-6659

20141007001
Attachment: 1

Products Affected:

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

DEVICE	CUSTOMER PART NUMBER
SN74AUP1G00DBVR	null
SN74AUP1G00DBVT	null
SN74AUP1G00DRLR	null
SN74AUP1G04DBVR	null
SN74AUP1G04DCKT	null
SN74AUP1G04DRLR	null
SN74AUP1G06DBVR	null
SN74AUP1G06DCKT	null
SN74AUP1G06DRLR	null
SN74AUP1G07DBVR	null
SN74AUP1G07DBVT	null
SN74AUP1G07DRLR	null
SN74AUP1G08DBVR	null
SN74AUP1G08DBVT	null
SN74AUP1G08DCKT	null
SN74AUP1G08DRLR	null
SN74AUP1G125DBVR	null
SN74AUP1G125DBVT	null
SN74AUP1G125DCKT	null
SN74AUP1G125DRLR	null
SN74AUP1G126DCKT	null
SN74AUP1G14DBVR	null
SN74AUP1G14DBVT	null
SN74AUP1G17DRLR	null
SN74AUP1G240DBVR	null
SN74AUP1G32DBVR	null
SN74AUP1G32DBVT	null
SN74AUP1G32DCKT	null
SN74AUP1G32DRLR	null
SN74AUP1G34DBVR	null
SN74AUP1G34DRLR	null
SN74AUP1G57DCKR	null
SN74AUP1G57DRLR	null
SN74AUP1G58DCKR	null
SN74AUP1G58DCKT	null
SN74AUP1G79DBVR	null
SN74AUP1G79DBVT	null
SN74AUP1G79DRLR	null
SN74AUP1G80DBVR	null
SN74AUP1G80DBVT	null
SN74AUP1G97DBVR	null
SN74AUP1G97DCKR	null
SN74AUP1G97DCKT	null
SN74AUP1G97DRLR	null
SN74AUP1G98DBVR	null
SN74AUP1G98DCKR	null
SN74AUP1G98DCKT	null

Technical details of this Product Change follow on the next page(s).

PCN Number:	20141007001			PCN Date:	10/09/2014
Title:	Die Conversion for select AUP LL Devices in DBV, DCK and DRL Packages				
Customer Contact:	PCN Manager	Phone:	+1(214)480-6037	Dept:	Quality Services
Proposed 1st Ship Date:	01/09/2015		Estimated Sample Availability:	Date provided at sample request.	
Change Type:					
☐	Assembly Site	☐	Assembly Process	☐	Assembly Materials
☒	Design	☐	Electrical Specification	☐	Mechanical Specification
☐	Test Site	☐	Packing/Shipping/Labeling	☐	Test Process
☐	Wafer Bump Site	☐	Wafer Bump Material	☐	Wafer Bump Process
☐	Wafer Fab Site	☐	Wafer Fab Materials	☐	Wafer Fab Process
		☐	Part number change		
PCN Details					
Description of Change:					
This change notification is to announce a Die Conversion for select AUP LL Devices. The Die Revision will change from X/A to C. Devices affected by this change are listed in the product affected section of this notification. There will be no change to the data sheet.					
Reason for Change:					
Continuity of Supply					
Anticipated impact on Fit, Form, Function, Quality or Reliability (positive / negative):					
Reliability & electrical characterization evaluation showed no adverse impacts.					
Changes to product identification resulting from this PCN:					
Die Rev designator will change as shown in table & sample label below:					
Current		New			
Die Rev [2P]		Die Rev [2P]			
X/A		C			
Sample product shipping label to indicate die rev location (not actual product label)					
  (1P) SN74LS07NSR (Q) 2000 (D) 0336 (31T) LOT: 3959047MLA (4W) TKY (1T) 7523483SI2 (P) (2P) REV: (V) 0033317 (20L) CSO: SHE (21L) CCO: USA (22L) ASO: MLA (23L) ACO: MYS					
Die Rev Marking:					
Current = X/A					
New = C					

Product Affected:				
SN74AUP1G00DBVR	SN74AUP1G08DBVR	SN74AUP1G240DBVR	SN74AUP1G58DCKT	
SN74AUP1G00DBVT	SN74AUP1G08DBVT	SN74AUP1G240DBVT	SN74AUP1G58DRLR	
SN74AUP1G00DCKT	SN74AUP1G08DCKT	SN74AUP1G240DCKT	SN74AUP1G79DBVR	
SN74AUP1G00DRLR	SN74AUP1G08DRLR	SN74AUP1G32DBVR	SN74AUP1G79DBVT	
SN74AUP1G02DBVR	SN74AUP1G125DBVR	SN74AUP1G32DBVT	SN74AUP1G79DCKT	
SN74AUP1G02DBVT	SN74AUP1G125DBVT	SN74AUP1G32DCKT	SN74AUP1G79DRLR	
SN74AUP1G02DCKT	SN74AUP1G125DCKT	SN74AUP1G32DRLR	SN74AUP1G80DBVR	
SN74AUP1G02DRLR	SN74AUP1G125DRLR	SN74AUP1G34DBVR	SN74AUP1G80DBVT	
SN74AUP1G04DBVR	SN74AUP1G126DBVR	SN74AUP1G34DBVT	SN74AUP1G80DCKT	
SN74AUP1G04DBVT	SN74AUP1G126DBVT	SN74AUP1G34DCKT	SN74AUP1G97DBVR	
SN74AUP1G04DCKT	SN74AUP1G126DCKT	SN74AUP1G34DRLR	SN74AUP1G97DBVT	
SN74AUP1G04DRLR	SN74AUP1G126DRLR	SN74AUP1G57DBVR	SN74AUP1G97DCKR	
SN74AUP1G06DBVR	SN74AUP1G14DBVR	SN74AUP1G57DBVT	SN74AUP1G97DCKT	
SN74AUP1G06DBVT	SN74AUP1G14DBVT	SN74AUP1G57DCKR	SN74AUP1G97DRLR	
SN74AUP1G06DCKT	SN74AUP1G14DCKT	SN74AUP1G57DCKT	SN74AUP1G98DBVR	
SN74AUP1G06DRLR	SN74AUP1G14DRLR	SN74AUP1G57DRLR	SN74AUP1G98DBVT	
SN74AUP1G07DBVR	SN74AUP1G17DBVR	SN74AUP1G57DRLR-P	SN74AUP1G98DCKR	
SN74AUP1G07DBVT	SN74AUP1G17DBVT	SN74AUP1G58DBVR	SN74AUP1G98DCKT	
SN74AUP1G07DCKT	SN74AUP1G17DCKT	SN74AUP1G58DBVT	SN74AUP1G98DRLR	
SN74AUP1G07DRLR	SN74AUP1G17DRLR	SN74AUP1G58DCKR		

Reference Qualification Data: (Approved 11/29/2010)

This qualification has been specifically developed for the validation of this change. The qualification data validates that the proposed change meets the applicable released technical specifications.			
Qualification Device Construction Details:			
Qualification Vehicle #1: SN74AUP1G00DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		
Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions	Sample Size (PASS/FAIL)	
Electrical Char	Approved by Product Engineer	PASS	
ESD (CDM)	1500 V	3/0	
Manufacturability	Wafer Fab (per mfg. Site specification)	PASS	
Manufacturability-TQ	Assembly (per mfg. Site specification)	PASS	
Notes: Qualification tests "pass" on zero fails for each test			
Qualification Vehicle #2: SN74AUP1G02DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		

Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions		Sample Size (PASS/FAIL)
Electrical Char	Approved by Product Engineer		PASS
ESD (CDM)	1500 V		3/0
Manufacturability	Wafer Fab (per mfg. Site specification)		PASS
Manufacturability-TQ	Assembly (per mfg. Site specification)		PASS
Notes: Qualification tests "pass" on zero fails for each test			
Qualification Vehicle #3: SN74AUP1G04DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		
Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions		Sample Size (PASS/FAIL)
Electrical Char	Approved by Product Engineer		PASS
ESD (CDM)	1500 V		3/0
Manufacturability	Wafer Fab (per mfg. Site specification)		PASS
Manufacturability-TQ	Assembly (per mfg. Site specification)		PASS
Notes: Qualification tests "pass" on zero fails for each test			
Qualification Vehicle #4: SN74AUP1G06DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		
Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions		Sample Size (PASS/FAIL)
Electrical Char	Approved by Product Engineer		PASS
ESD (CDM)	1500 V		3/0
Manufacturability	Wafer Fab (per mfg. Site specification)		PASS
Manufacturability-TQ	Assembly (per mfg. Site specification)		PASS
Notes: Qualification tests "pass" on zero fails for each test			
Qualification Vehicle #5: SN74AUP1G07DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		
Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions		Sample Size (PASS/FAIL)
Electrical Char	Approved by Product Engineer		PASS
ESD (CDM)	1500 V		3/0
Manufacturability	Wafer Fab (per mfg. Site specification)		PASS
Manufacturability-TQ	Assembly (per mfg. Site specification)		PASS
Notes: Qualification tests "pass" on zero fails for each test			

Qualification Vehicle #6: SN74AUP1G08DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		
Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions	Sample Size (PASS/FAIL)	
Electrical Char	Approved by Product Engineer	PASS	
ESD (CDM)	1500 V	3/0	
Manufacturability	Wafer Fab (per mfg. Site specification)	PASS	
Manufacturability-TQ	Assembly (per mfg. Site specification)	PASS	
Notes: Qualification tests "pass" on zero fails for each test			
Qualification Vehicle #7: SN74AUP1G125DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		
Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions	Sample Size (PASS/FAIL)	
Electrical Char	Approved by Product Engineer	PASS	
ESD (CDM)	1500 V	3/0	
Manufacturability	Wafer Fab (per mfg. Site specification)	PASS	
Manufacturability-TQ	Assembly (per mfg. Site specification)	PASS	
Notes: Qualification tests "pass" on zero fails for each test			
Qualification Vehicle #8: SN74AUP1G126DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		
Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions	Sample Size (PASS/FAIL)	
Electrical Char	Approved by Product Engineer	PASS	
ESD (CDM)	1500 V	3/0	
X-Ray	Bottom Side only	5/0	
Manufacturability	Wafer Fab (per mfg. Site specification)	PASS	
Manufacturability-TQ	Assembly (per mfg. Site specification)	PASS	
Notes: Qualification tests "pass" on zero fails for each test			
Qualification Vehicle #9: SN74AUP1G14DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		

Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions		Sample Size (PASS/FAIL)
Electrical Char	Approved by Product Engineer		PASS
ESD (CDM)	1500 V		3/0
Manufacturability	Wafer Fab (per mfg. Site specification)		PASS
Manufacturability-TQ	Assembly (per mfg. Site specification)		PASS
Notes: Qualification tests "pass" on zero fails for each test			
Qualification Vehicle #10: SN74AUP1G17DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		
Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions		Sample Size (PASS/FAIL)
Electrical Char	Approved by Product Engineer		PASS
ESD (CDM)	1500 V		3/0
Manufacturability	Wafer Fab (per mfg. Site specification)		PASS
Manufacturability-TQ	Assembly (per mfg. Site specification)		PASS
Notes: Qualification tests "pass" on zero fails for each test			
Qualification Vehicle #11: SN74AUP1G240DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		
Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions		Sample Size (PASS/FAIL)
Electrical Char	Approved by Product Engineer		PASS
ESD (CDM)	1500 V		3/0
Manufacturability	Wafer Fab (per mfg. Site specification)		PASS
Manufacturability-TQ	Assembly (per mfg. Site specification)		PASS
Notes: Qualification tests "pass" on zero fails for each test			
Qualification Vehicle #12: SN74AUP1G32DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		
Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions		Sample Size (PASS/FAIL)
Electrical Char	Approved by Product Engineer		PASS
ESD (CDM)	1500 V		3/0
Manufacturability	Wafer Fab (per mfg. Site specification)		PASS
Manufacturability-TQ	Assembly (per mfg. Site specification)		PASS
Notes: Qualification tests "pass" on zero fails for each test			

Qualification Vehicle #13: SN74AUP1G34DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		
Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions	Sample Size (PASS/FAIL)	
Electrical Char	Approved by Product Engineer	PASS	
ESD (CDM)	1500 V	3/0	
Manufacturability	Wafer Fab (per mfg. Site specification)	PASS	
Manufacturability-TQ	Assembly (per mfg. Site specification)	PASS	
Notes: Qualification tests "pass" on zero fails for each test			
Qualification Vehicle #14: SN74AUP1G79DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		
Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions	Sample Size (PASS/FAIL)	
Electrical Char	Approved by Product Engineer	PASS	
ESD (CDM)	1500 V	3/0	
Manufacturability	Wafer Fab (per mfg. Site specification)	PASS	
Manufacturability-TQ	Assembly (per mfg. Site specification)	PASS	
Notes: Qualification tests "pass" on zero fails for each test			
Qualification Vehicle #15: SN74AUP1G80DCKR			
Wafer Fab Site:	FREISING	Wafer Process:	P9722
Protective Die Coating:	10KACN		
Qualification: ☐ Plan ☒ Test Results			
Reliability Test	Conditions	Sample Size (PASS/FAIL)	
Electrical Char	Approved by Product Engineer	PASS	
ESD (CDM)	1500 V	3/0	
Manufacturability	Wafer Fab (per mfg. Site specification)	PASS	
Manufacturability-TQ	Assembly (per mfg. Site specification)	PASS	
Notes: Qualification tests "pass" on zero fails for each test			

For questions regarding this notice, e-mails can be sent to the regional contacts shown below or your local Field Sales Representative.

Location	E-Mail
USA	PCNAmericasContact@list.ti.com
Europe	PCNEuropeContact@list.ti.com
Asia Pacific	PCNAsiaContact@list.ti.com
Japan	PCNJapanContact@list.ti.com