STANDARD CIRCULAR CONNECTORS





TE CONNECTIVITY (TE) HERM RECP

DEUTSCH

MS3440H10C6P

TE Internal Number: YDBC50H-10-6PNV001 Mil-Spec: MS3440H10C6P Alias ID: DBC50H-10-6PN [V001]

Always EU RoHS/ELV Compliant

Product Type Connector

Mounting Style Square Flange

Shell Plating Material **Tin**

Shell Material Carbon Steel

Polarization Code Normal

No documentation available.

Please review product documents or contact us for the latest agency approval information.

Product Type Features	Product Type	Connector
	Connector System	Wire-to-Panel
	Shell Size	10
	Sealed	Yes
	Connector Style	Receptacle
	Shell Type	Square Flange Receptacle
	Assembly Type	Electrical Connector
Configuration Features	Number of Power Positions	6
	Preloaded	Yes
	Number of Positions	6
	Factory Installed Backshell	No
	Positions Unloaded	None
	Keying	Insert Polarization N
	Position Keyed	Normal
Electrical Characteristics	Operating Voltage (VAC)	600
	Operating Voltage (VDC)	850

Body Features	Shell Plating Material	Tin
	Shell Material	Carbon Steel
	Insulation Material	Glass/Silicone
	Hermetically Sealed	Yes
	Environmental Protection Type	Hermetically Sealed
	Environmental Protection	Yes
	Feedthrough Type	No
	Peripheral Seal Material	Silicone
	Entry Style	Solder
Contact Features	Contact Layout	10-6
	Contact Type	Pin
	Contact Quantity (Size 20)	6
Mechanical Attachment	Mounting Style	Square Flange
	Polarization Code	Normal
	Mating Alignment Type	Keyed
	Mating Retention	With
	Flange	Square Flange
	Mating Retention Type	Bayonet
	Panel Mount Retention	With
	Panel Mount Retention Type	Square Flange
Housing Features	Alignment Keyed	Insert Clocking
Dimensions	Assembly Length	24.87 mm [.979 in]
Usage Conditions	Operating Temperature Range	-85 – 347 °C [-65 – 175 °F]
	Fluid Resistance	Yes
Operation/Application	Durability Rating (Cycles)	500
Pooleging Footures	Peaks aring Over-4th	1
Packaging Features	Packaging Quantity	1

VIEW ALL PRODUCT COMPLIANCE

CUSTOMERS ALSO BOUGHT

