



Connectors > Rectangular Connectors > Standard Rectangular Connectors



Product Type: Pin Insert with PC Tail Contacts

Connector Style: Plug/Receptacle

Mating Alignment Type: Keyed

PCB Mount Retention: Without

PCB Mount Orientation: Straight

Features

Product Type Features

Product Type	Pin Insert with PC Tail Contacts
Connector Style	Plug/Receptacle
Connector System	Cable-to-Board
Insertion Force	Standard
Sealable	Yes
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

PCB Mount Orientation	Straight
Number of Positions	12
Number of Rows	3

Contact Features

Contact Plating Material	Gold Over Copper
Contact Current Rating (Max)	7.5 A

Termination Features

Termination Method to Printed Circuit Board	Solder
Termination Method to Wire & Cable	Crimp

Mechanical Attachment

Mating Alignment Type	Keyed
-----------------------	-------



PCB Mount Retention	Without
Contact Retention	Clipped
Connector Mounting Type	Board Mount

Usage Conditions

Operating Temperature Range	-55 – 175 °C[-67 – 347 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Out of Scope
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JAN 2019 (197)
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.


Customers Also Bought



TE Part #
ZPF000000000001986
182-0459-20



TE Part #386687-000
44A1131-16-3/6/9-9



TE Part #382523-000
44A1131-22-3/6/9-9



TE Part #830612-1
LGH 1/2 DBL MLD END



TE Part #2-1623719-2
CCR1 4R7 10% TAPED



TE Part #
ZPF000000000015149
DMC-M 01-08 AN-GQ

TE Part #
ZPF000000000015466
DMC-MD 80 A 01



TE Part #
ZPF000000000099097
FDBA 54-12-3 PN-K 090
A499



TE Part #
ZPF000000000099099
FDBA 54-12-3 PY-K 090
A499



TE Part #
ZPF000000000018992
FDBA 54-20-16 PN-K-
A1198

Documents

Datasheets & Catalog Pages

DMC-M Series Single Module EN4165

English

DEUTSCH DMC-M Series Multicavity EN4165 Connectors

English

Product Environmental Compliance

REACH Substance Communication Document

English