


System On Module iW-RainboW-G15M-Q7

i.MX6 Qseven Module



iWave Systems offers high performance Qseven SOM module based on NXP's i.MX6 ARM Cortex-A9 processor for faster and multimedia focused applications. With extreme peripheral integration, the CPU supports industry latest high-performance interfaces, such as PCIe Gen2, Gigabit Ethernet, SATA 3.0, HDMI 1.4, SDXC, MIPI CSI/DSI and 64-Bit DDR3 interfaces.

The module is compatible to Qseven R2.0 ARM specification and features 1GHz ARM Cortex A9 Quad Plus/Dual Plus/Quad/Dual/Dual Lite/Solo core CPU, on-board 1GB DDR3 RAM, eMMC Flash, Micro SD slot and JTAG headers.

APPLICATIONS : Industrial HMI, Automotive IVI, Video & Navigation, Graphical Instrument Clusters, Portable Medical Devices, Intelligent Industrial Control Systems and Home Energy Management Systems

iW-RainboW-G15M-Q7

HIGHLIGHTS

ARM Cortex A9 @1GHz/800MHz
Quad Plus/Dual Plus/Quad/Dual/Dual Lite/
Solo core

64-bit DDR3-1066 support

OpenGL® ES 2.0 3D, OpenVG™ 1.1
graphics accelerators

Multi format HD1080p HW decode and
encode

Four simultaneous display support

Technical and quick customization
support

10+ years, long term support

SPECIFICATIONS

CPU	Data UART x 1
i.MX6 1GHz/800MHz ARM Cortex A9 QP/DP/Q/D/DL/S	PWM
PMIC	GPIOs
NXP PF0100 PMIC	Expansion Connector ²
RAM	Camera CSIx2 (8-bit)
1GB DDR3 for Q/D/DL (Expandable up to 4GB ¹)	MIPI CSI, DSI
512MB DDR3 for Solo (Expandable up to 2GB ¹)	24-Bit RGB LCD IF
Storage	Dual UART
8GB eMMC Flash (Expandable ¹)	3x3 Key, Memory Bus
2MB SPI Flash (Expandable ¹)	ESAI, SPDIF
On-board Micro SD Slot	MLB
Qseven Edge Connector	I2C3, PWM, GPIO
PCIe v2.0 x 1 lane	Temperature
HDMI 1.4	-40°C to 85°C
SATA 3.0 x 1 ³	Board Form Factor
Gigabit Ethernet	Qseven R2.0 Compatible
Dual LVDS	Power Input
USB2.0 Host x4	5V, 1A Typical
USB2.0 OTG	Operating Systems
AC97 Audio	Linux 4.1.15
8-bit SD/MMC	Android Nougat 7.1.1
CAN,SPI, I2C	Debug Support
Debug UART x1	Onboard JTAG Header ¹


¹ Contact iWave for memory expansion support.

² Not populated in mass production SOM.

³ Support available only for i.MX6 Quad and Dual SOMs.

Note: device drivers provided are for specific interface chipsets which are used in iWave's carrier board.

i.MX6 Qseven MODULE BLOCK DIAGRAM



Note: MLB is supported only in automotive part

*Optional items not included in the standard deliverables.

OS SUPPORT

Linux 4.1.15
Android Nougat 7.1.1

DELIVERABLES

i.MX6 Qseven SOM Module
Board Support Packages
User Manual

OPTIONAL KITS

iMX6 Qseven Development Kit
7" LCD Display Kit with Cap touch
Camera modules
Heat Spreader / Heat Sink

CUSTOM DEVELOPMENT

BSP Development/OS Porting
Custom SOM/Carrier Development
Custom Application/GUI Development
Design Review and Support

iWave Systems Technologies, established in 1999, focuses on Product Engineering Services involving Embedded Hardware, Software & FPGA. The company designs and develops cutting edge products and solutions. iWave has been an innovator in the development of highly integrated, high performance, low power and low cost System On Modules and Development Platforms. iWave's expertise has brought out multiple SOMs based on ARM, Freescale, Intel Atom, Marvell and TI Processors.

iWave Systems has won the confidence of its customers over the years by being a reliable partner in developing innovative products. Our engineers combine outstanding System design experience to deliver Quality Solutions. iWave specializes across Industrial, Automotive and Medical domains. We support our customers by being time efficient, which in turn helps our customers accelerate time to market their products. iWave is a Windows embedded Silver partner and a winner of the Partner Excellence Award.

Note: iWave reserves the right to change these specifications without notice as part of iWave's continuous effort to meet the best in breed specification. The registered trademarks are proprietary of their respective owners.

Ordering the i.MX6 Qseven Module

The SOM Module can be ordered online from the iWave Website
<http://www.iwavesystems.com/webforms>

iWave Systems Tech. Pvt. Ltd.,

7/B, 29th Main, BTM Layout 2nd Stage,
Bangalore-560076, India.
Ph: +91-80-26683700, 26786245
Email: mktg@iwavesystems.com
www.iwavesystems.com

iWave Japan, Inc.

8F-B, Kannai Sumiyoshi Building,
3-29, Sumiyoshi-cho, Naka-ku,
Yokohama, Kanagawa, Japan.
Ph: +81-45-227-7626
Email: info@iwavejapan.co.jp
www.iwavejapan.co.jp

iWave Europe

Postbus 6197
3130 DD Vlaardingen
The Netherlands
Ph: +31 10 28403383
Email: info@iwavesystems.eu

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[iWave Global:](#)

[iW-G15M-Q701-3D512M-E008G-AID](#) [iW-G15M-Q701-3D512M-E008G-BCC](#) [iW-G15M-Q701-3D512M-E008G-LID](#)
[iW-G15M-Q702-3D001G-E008G-AID](#) [iW-G15M-Q702-3D001G-E008G-BCC](#) [iW-G15M-Q72L-3D001G-E008G-AID](#) [iW-](#)
[G15M-Q72L-3D001G-E008G-LID](#) [iW-G15M-Q72P-3D001G-E008G-BIC](#) [iW-G15M-Q74P-3D001G-E008G-BIC](#) [iW-](#)
[G15M-Q74P-3D001G-E008G-LID](#) [iW-G15M-Q702-3D001G-E008G-BIC](#) [iW-G15M-Q702-3D001G-E008G-LID](#) [iW-](#)
[G15M-Q704-3D001G-E008G-AID](#) [iW-G15M-Q704-3D001G-E008G-BCC](#) [iW-G15M-Q704-3D001G-E008G-BIC](#) [iW-](#)
[G15M-Q704-3D001G-E008G-LID](#) [iW-G15M-Q701-3D512M-E008G-BIC](#) [iW-G15M-Q72L-3D001G-E008G-BCC](#) [iW-](#)
[G15M-Q72L-3D001G-E008G-BIC](#)