

MINI XLR CHASSIS CONNECTOR

4 Pin Tiny XLR Male Panel Mount Connector

Locking 4 pin connectors with rugged metal shells for audio, lighting control, industrial automation, and test equipment. Features a hex nut and washer.



IO-TXLR4-M-PS-1

MECHANICAL

Lifetime: > 1000 Mating Cycles Wiresize: 0.50mm Max O.D. Wiring: Solder Contacts Locking Device: Latch Lock Mounting Direction: Rear Solderability: Complies with IEC 60068-2-20

MATERIAL

Pins: Brass Pin Plating: Gold Shell: Brass Shell Finish: Nickel Latch: Stainless Steel Nut: Nickel Plated Brass Washer: Nickel Plated Brass Insert: PPS

Product specifications may change without prior notification

Io Audio Technologies® is a registered trademark of Knight Electronics, Inc. 10557 Metric Dr. Dallas, TX 75243 | 214-340-0265 | 800-323-2439 | Fax: 214-340-5870 | www.ioaudiotechnologies.com

SPECIFICATIONS

PRODUCT

Gender: Male

Contacts: 4

ELECTRICAL


Contact Resistance: $\leq 0.05 \Omega$ Insulation Resistance: > 1 G Ω Dielectric Strength: 1000V @ 60s Current Rating: 5A / 50V AC

ENVIRONMENTAL

Standard Compliance: IEC 61076-2-103 UL Flammability: UL94V-0 Temperature Range: -40°C ~ +70° C (-40°F ~ +158°F)



Panel Cutout



PART NUMBER BREAKDOWN:

IO-<u>TXLR</u>4-F-PS-1 Tiny XLR IO-TXLR<u>4</u>-F-PS-1 Number of Pins IO-TXLR4-<u>F</u>-PS-1 Gender IO-TXLR4-F-<u>P</u>S-1 Panel Mount IO-TXLR4-F-P<u>S-1</u> S = Solder Cups 1 = Hex Nut

STANDARDS & CLASSIFICATIONS



Product specifications may change without prior notification

Io Audio Technologies® is a registered trademark of Knight Electronics, Inc. 10557 Metric Dr. Dallas, TX 75243 | 214-340-0265 | 800-323-2439 | Fax: 214-340-5870 | www.ioaudiotechnologies.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Io Audio:

IO-TXLR4-M-PS-1