

12mm Rotary Encoder

Type DP12 Series



12mm Rotary incremental encoder for use in electronic equipment. Can be supplied with or without switch with customisation to standard options.


Key Features

- 12mm Rotary Encoder
- Incremental Type
- Push on Switch Option
- Various Shaft Lengths
- Pulse Options
- Detent Options

Type DP12 Series

Characteristics -Electrical

12 & 24
0.5mA 5VDC
300VAC / 1mA, 1 minute
100M ohms at 250VAC
60 RPM
5VDC, 10mA (1mA Min)
100m ohm Max
Continuous
t2 = 2.0 ms max (see below)
t1 & t3 = 3.0 ms max (see below)



Code Off area V = 3.5V or more. Code on area V=1.5V or less

Characteristics -Mechanical

Total Mechanical Travel:	Continuous
Detents:	0, 12, 24
Switch Operating Force:	500+/- 100gf
Switch Travel:	0.5mm
Shaft Type:	F – Flatted
Shaft Length (from Mounting Surface):	17.5, 20, 22.5, 25

Characteristics -Environmental

Operating Temperature	-30 ~ +70 degrees C	
Rotational Life	15,000 Cycles	

Output Signal Format

Shaft Rotational Direction	Signal	Format
Clockwise	A (Terminal A-C)	OFF
CIUCKWISE	B (Terminal B-C)	OFF
A sticle should be	A (Terminal A-C)	OFF ON
Anticlockwise	B (Terminal B-C)	OFF

Dimensions are shown for reference purposes only.


Dimensions are in millimetres unless otherwise specified. Specifications subject to change.




12mm Rotary Encoder

Type DP12 Series

Dimensions DP12H



DP12SH




Literature No. 1773449-9 Issued: 02-08 Dimensions are shown for reference purposes only.

Dimensions are in millimetres unless otherwise specified. Specifications subject to change.




Type DP12 Series

Dimensions DP12V



DP12SV



Shaft Leng	th			
L	17.5	20	22.5	25
F	5	7	7	12

How to Order	r					
DP12	н	N	12	A	20	F
Common Part	Orientation	Detent	Pulses	Bush Details	Shaft Length	Shaft Style
DP12 – No Switch DP12S – With Switch	H - Horizontal V - Vertical	N - None 12 – 12 clicks 24 – 24 Clicks	12 – 12 Pulses 24 – 24 Pulses	A – 5mm V & H Standard	17.5 – 17.5mm 20 – 20mm 22.5 – 22.5mm 25 – 25mm	F - Flatted

Literature No. 1773449-9 Issued: 02-08 Dimensions are shown for reference purposes only.

Dimensions are in millimetres unless otherwise specified. Specifications subject to change.

tycoelectronics.com passives.tycoelectronics.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: DP12SH2424A25F