

TE Connectivity


Specification Control Drawing

a) Part as supplied.

202K1**-*-02



b) Part after unrestricted recovery.



DIMENSIONS (in millimetres (in inches, for reference)


202K163-*-02		ŀ	+	,	J	P	R	5	Т	JO	HW	JW
202K163-*-02 (1.69) (1.11) (1.69) (0.39) (2.32) (0.83) (0.12) (0.07) (0.83) (0.09) (0.04) 202K174-*-02 (2.36) (1.38) (2.36) (0.62) (3.54) (1.26) (0.12) (0.07) (1.54) (0.13) (0.06) 202K185-*-02 66 44.5 66 16.8 130 50 3.0 2.0 51.5 3.8 2.0	Part No.				-							±20% b
202K174-*-02 (2.36) (1.38) (2.36) (0.62) (3.54) (1.26) (0.12) (0.07) (1.54) (0.13) (0.06) 202K185-*-02 66 44.5 66 16.8 130 50 3.0 2.0 51.5 3.8 2.0	202K163-*-02			_								1.0 {0.04}
	202K174-*-02											1.5 (0.06)
	202K185-*-02											2.0 (0.08)

This is a trimmed variant Modified dimensions are shown thus:- #

Drawn	RK	Checked HMR	Issue 4	Date 24MAR11	Conforms
					3rd Ang
Approv	al				Not to :
Design		MKTG.	Q.A.		

=	TE TE Coni	Specificat nectivity Control Dr		Part Number	202K1**-*-02 Issue 4
Iss.	Date	E.C.R. No.	Deta	ils of Change	
3	September 2000 August 2007		Redrawn Imperia	l dimensions added	

(Ordering Information)



COMPATIBILITY CHART

Material Dash Number	Material Description	SPEC Number	Coating Slash Number
-3	POLYOLEFIN, SEMI-RIGID	RT-301	/42 ,/86, /180
-4	POLYOLEFIN, FLEXIBLE	RT-1304	/42 ,/86, /180
-6	SILICON	RT-602	N/A
-25	ELASTOMER, FLUID RESISTANT	RW-2070	/42, /86, /225
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	RW-2008	/42

NOTES

1) As supplied dimensions are for uncoated parts, when coating is added, entry diameters will reduce by 1.5mm Max.

TE Connectivity UK Ltd.	TE Connectivity
Faraday Road,	300, Constitution Drive,
Swindon, Wiltshire, SN3 5HH	Menlo Park, CA 94025
England	USA
Telephone: (01793) 528171 Fax: 572516	Telephone (650) 361-3860 Fax: (650) 361-5579
Cage Code K1010	Cage Code 06090

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 202K185-25-02/225-0