1	2		3		4	5		\Box
		4,2±0.3 13±0.5		€- - - - - - - - - - - - - - - - - - -	TECHNICAL CHARACTERIST MATERIAL INSULATOR: PA66 FLAMABILITY RATING: UL94 COLOR: GREEN/ORANGE METAL HOUSING: BRASS (C WIRE GUARD: STAINLESS S SOLDER TAIL PLATING: TIN ENVIRONMENTAL OPERATING TEMPERATURE COMPLIANCE: LEAD FREE A	-V0 CuZn) STEEL E: -40 UP TO 105°C		
A±0.5 1±0.1 2.54±0.2 5±0.2	2.5±0.3		Poles A(mm) Pole 2 12.54 15 3 17.54 16 4 22.54 17 5 27.54 18 6 32.54 19	s A(mm) 77.54 82.54 	ELECTRICAL CURRENT RATING: WORKING VOLTAGE: WITHSTANDING VOLTAGE: CONTACT RESISTANCE: STANDARD CERTIFIED E315414 CERTIFIED 40036896 MECHANICAL SOLID WIRE: STRANDED WIRE: WIRE STRIPE LENGTH: 6 - 1 PITCH: 5.0 MM SOLDERING JEDEC LEAD FREE WAVE PI PACKAGING BOX	2.0KV - 20mOhm MAX - 24-14 AWG / 0.205-2.08 M 24-14 AWG / 0.205-2.08 M 0 MM	A OVAC IM ²	
RoHS Compliant G F E D	PRC		GENERAL TOLERANCE .X = ⁺ /_ 0.2 .XX = ⁺ /_ 0.15					_
CImage: Constraint of the state		-	UNIT: MM SCALE: SHEET: 1/2 DRAW: MARVIN	WR-TBL	ERIE 401 B - 5.00MM SCREWI 691 401 700 0xx B	LESS VERTICAL ENTRY	SIZE	

1	2	3	4	5	-
					_

А

В

С

Cautions and Warnings:

This electronic component is designed and developed with the intention for use

in general electronics equipments.

Before incorporating the components into any equipments in the field such as aerospace, aviation, nuclear control, submarine, transportation, (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc. where higher safety and reliability are especially required or if there is possibility of direct damage or injury to human body, Wurth Elektronik must be asked for a written approval.

In addition, even electronic component in general electronic equipments, when used in electrical circuits that require high safety, reliability functions or performance, the sufficient reliability evaluation-check for the safety must be performed before by the user before usage.

R	oHS Compliant							
G				PROJECTION:	GENERAL TOLERANCE]
F					.X = ⁺ /_ 0.2			
E					.XX = ⁺ /_ 0.15			
D						WÜRTH ELEKTRONĬK		
С				APPROVAL: JC	UNIT: MM	DESCRIPTION: DISCLAIMER	SIZE	lD
В]	SCALE:			٢
A	10-SEP-14	PDF	QL	1	SHEET: 2/2	WERI PART NO: DISCLAIMER	A4	
REV	DATE	FILE	BY		DRAW: QL			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Wurth Elektronik: 691401700003B