MODEL TLP-92111/A/SM

Ordering: P/N 61921111400 Termination: Flying Leads

TECHNICAL DATA

(Typical values @+25°C for batteries stored for one year or less)

Capacity to 3.0V	(@0.5A)	@1% duty	/ cycle)
------------------	---------	----------	----------

- Nominal voltage
- Maximum 1 second pulse to 3.0V
- Maximum pulse length @0.5A to 2.8V
- Delay time to 3.0V @0.5A
- Weight
- Operating temperature range
- Capacity retention after 10 years



PulsesPlus **

HIGH ENERGY

1000 sec


No Delay

-40°C to +85°C

100 gr


93%


- UP TO 3A PULSE CAPABILITY
- INSTANT VOLTAGE RESPONSE
- NO PASSIVATION EFFECT





See dimensions on the next page





For High Pulse Current Applications

Note: Any presentations in this data sheet concerning performance are for information purpose only and are not construed as warranties either expressed or implied, of future performance.

Rev. C Dec/04


MODEL TLP-92111/A/SM


The battery is designed specifically for applications requiring low background currents combined with high current pulses. The Pulses Plus™ battery combines the inherent benefits of bobbin type Lithium Thionyl Chloride cell with a novel hermetically sealed Hybrid Layer Capacitor (HLC). The addition of the HLC

enhances the performance of the Lithium Thionyl Chloride cell to meet large pulse current requirements, thus providing greater performance

and safety in comparison to jellyroll construction (spirally wound) type batteries.


* The PTC is optional and not necessary in many cases.













Note: For best performance battery should be mounted in the application in upright or horizontal position.





For High Pulse Current Applications

Note: Any presentations in this data sheet concerning performance are for information purpose only and are not construed as warranties either expressed or implied, of future performance.

Rev. C Dec/04

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Tadiran Batteries:

<u>TLP-91111/A/SM</u> <u>TLP-92111/A/SM</u>