TDS # DEL1681

CHEMTRONICS Technical Data Sheet

Pow-R-Wash[™] Delta Electronics Contact Cleaner

PRODUCT DESCRIPTION

Pow-R-Wash[™] Delta electronics contact cleaner is a highly efficient and effective solvent cleaner for electrical and electronic components and assemblies. This cleaning agent is both nonflammable, and engineered to be compatible with most metals and plastics found in electronic assemblies. This material can be used on energized equipment, is fast drying and has excellent solvency for oil, grease, dirt.

- Rapidly cleans dirt, oils, carbon, grease and other contaminants
- Nonflammable
- Excellent material compatibility
- Displaces moisture
- Evaporates fast
- Leaves no residues
- Enhances electrical signal
- Low toxicity
- Available with All-Way Spray valve

TYPICAL APPLICATIONS

Pow-R-Wash[™] Delta effectively cleans and degreases:

- Printed Circuit Boards
- Circuit Breakers
- Electrical Motors
- Potentiometers
- Contacts and Relays
- Motors and Generators
- Selector Switches
- Solenoids

TYPICAL PRODUCT DATA AND PHYSICAL PROPERTIES

Boiling Point	99°F (Initial)			
Evaporation Rate (butyl acetate=1) >1				
Flash Point (TCC)	None			
Appearance	Clear, Colorless			
	Liquid			
Odor	Ethereal			
Specific Gravity	1.30			
Vapor Pressure @68°F	51 mmHg			
Solubility in Water	Negligible			
Dielectric Breakdown	30 kV			
(ASTM D-877)				
Surface Tension	15			
(dynes/cm @ 73°F)				
Kauri Butanol Number	60			
VOC* Content:	Aerosol			
CARB	73%			
SCAQMD	695 g/L			
Federal	56%			
RoHS Compliant	ROHS WEEE Compliant			
Shelflife	5 years			

*Volatile Organic Compound (VOC) information is calculated on a weight basis using the VOC definition of California Air Resources Board (CARB) Consumer Product Regulations, South Coast Air Quality Management District (SCAQMD) Rule 102 and the Federal definition published in 40 CFR 51.100(s).

COMPATIBILITY

Pow-R-Wash[™] Delta has excellent compatibility with most materials used in the electronics industry. With any cleaning agent, compatibility with substrate should be determined on a noncritical area prior to use.

<u>Material</u>	Compatibility		
ABS	Not Recommended		
Buna-N	Not recommended		
EPDM	Good		
Graphite	Excellent		
HDPE	Good		
Kynar TM	Good		
LDPE	Good		
Lexan TM	Good		
Neoprene	Good		
Noryl [®]	Good		
Nylon [™] 66	Excellent		
Cross-Linked PE	Good		
Polypropylene	Good		
Polystyrene	Not Recommended		
PVC	Excellent		
Silicone Rubber	Good		
Teflon TM	Good		
Viton TM	Not Recommended		

Performance

Grease & Lubricating Oil Removal per gram solvent (mg)
Pow-R-Wash Delta
12.4

1 Ow-R- Wash Delta	
AK225-based Cleaner	8.4

USAGE INSTRUCTIONS

For commercial use only.

Read MSDS carefully prior to use.

Spray 4-6 inches from surface to clean. Wash parts from top to bottom, allowing the liquid to flush away dirt and dissolved oil and grease. For precise application use attached extension tube.

AVAILABILITY

DEL1681 12 oz. Aerosol

TECHNICAL & APPLICATION ASSISTANCE

Chemtronics provides a technical hotline to answer your technical and application related questions. The toll free number is: **1-800-TECH-401.**

ENVIRONMENTAL IMPACT DATA					
HCFC-141b	0.0%	HFC	49%		
HCFC-225	0.0%	nPB	0.0%		

HCFC-225, HCFC-141b, HFC, and nPB percentages shown are the content by weight. HCFC-225, HCFC-141b, HFC, and nPB percentages shown are the content by weight. Hydrochlorofluorocarbons (HCFCs) are regulated under the Montreal Protocol as Class II ozone depleting substances. HCFC-141b is no longer produced in the US under this legislation. HCFC-225 is phased out for production as of 2015. Hydrofluorocarbons (HFCs) are not currently regulated.

NOTE:

This information is believed to be accurate. It is intended for professional end users having the skills to evaluate and use the data properly. CHEMTRONICS does not guarantee the accuracy of the data and assumes no liability in connection with damages incurred while using it.

Chemtronics[®] is a registered trademark of Chemtronics. All rights reserved. Pow-R-Wash[™] is a trademark of Chemtronics. All rights reserved.

All other trademarks herein are trademarks or registered trademarks of their respective owners.

CHEMTRONICS 8125 COBB CENTER DRIVE KENNESAW, GA 30152 1-770-424-4888 REV. A (01/15)

DISTRIBUTED BY:

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

 Chemtronics:

 VVV2279
 DEL1681
 DEL1601
 VVV195