

2867393

https://www.phoenixcontact.com/us/products/2867393

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Antenna cable, outside diameter: 10 mm (0.4 in.), inner conductor: solid, attenuation: 3.3 / 5.6 / 8.4 dB at 0.9 / 2.4 / 5.8 GHz, connection: 2x N (male), cable length: 24 m (80 ft.)



Your advantages

- · Low attenuation
- · UV resistant
- · For outdoor installation

Commercial data

Item number	2867393
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	DN23
Product key	DNC6A3
GTIN	4017918931766
Weight per piece (including packing)	2,611 g
Weight per piece (excluding packing)	2,611 g
Customs tariff number	85442000
Country of origin	TW



2867393

https://www.phoenixcontact.com/us/products/2867393

Technical data

Notes

Note on application	te on application	
Note on application	Only for industrial use	
Product properties		
Product type	Coaxial cable	
Electrical properties		
Frequency range	400 MHz 5.8 GHz	
Impedance	50 Ω	

Connection data

Connector connection

Connection method	N (male)
Notes	Both sides
Connection method	N (male)

Material specifications

Outer sheath, material	PE
·	

Cable/line

Cable length	24 m
Cable type	PFP-400
External cable diameter	10.00 mm
Outer sheath, material	PE
External sheath, color	black
Bending radius, long-term	25.00 mm
868 / 900 MHz	3.3 dB
2.4 GHz	5.6 dB

Environmental and real-life conditions

Ambient conditions

7 thistory conditions		
	Ambient temperature (operation)	-40 °C 85 °C
	Ambient temperature (storage/transport)	-40 °C 70 °C



2867393

https://www.phoenixcontact.com/us/products/2867393

Classifications

ECLASS

	ECLASS-13.0	27060310
	ECLASS-15.0	27060310
ETIM		
	ETIM 9.0	EC001682
UN	ISPSC	

UNSPSC 21.0 26121600



2867393

https://www.phoenixcontact.com/us/products/2867393

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	edc48836-f22a-4e8a-b0a7-14ed7e8fdcff

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com