## RC-17P1N8A9052 - Coupler connector



1601532

https://www.phoenixcontact.com/us/products/1601532

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



M23, Coupler connector, series: RC, straight, shielded: yes, Screw locking mechanism, No. of pos.: 17, Direction of rotation: Standard, contact connection type: Pin, Crimp connection, cable diameter range: 7.5 mm ... 9.5 mm, coding: N

#### Commercial data

Item number	1601532
Packing unit	20 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	ABRAFG
GTIN	4046356235198
Weight per piece (including packing)	82.86 g
Weight per piece (excluding packing)	82.86 g
Country of origin	DE

# RC-17P1N8A9052 - Coupler connector



1601532

https://www.phoenixcontact.com/us/products/1601532

### Technical data

Notes
-------

	Order information:	Order crimp contacts Ø 1 mm separately			
Product properties					
	Product type	Circular connector (cable-side)			

#### Connector

#### Insulating body

Note	Order information: Order crimp contacts Ø 1 mm separately
Coding	N
Material (Insulating body)	PA 6.6
Connection method	Crimp connection
Contact switching type	Pin
Application	Signal
Number of positions	17
Direction of rotation	Standard
Connection profile	17
Number Contact (Contact group 1)	17
Diameter Contact (Contact group 1)	1 mm
Rated current Contact (Contact group 1)	8 A (for max. connection cross section)
Rated voltage Contact (Contact group 1)	48 V AC
	74 V DC
Rated surge voltage	1.5 kV
Overvoltage category	III
Degree of pollution	3

#### Housing

Туре	Coupling housing
Thread type	M23
Design	straight
Type of locking	Screw locking mechanism
Pg screw connection	none
Material (Housing)	GD-Zn
Material (Housing surface)	Ni
Material (Rotating parts)	CuZn
Degree of protection (plugged in)	IP67

#### Seal

a		
External cable diameter	7.5 mm 9.5 mm	

## RC-17P1N8A9052 - Coupler connector




https://www.phoenixcontact.com/us/products/1601532



### **Drawings**

Schematic diagram



Connector pin assignment

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com